

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(record\$1 near3 fus \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L2	11	(record\$1 near3 (merg3 or fus\$3)) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L3	3716	(record\$1 near3 match\$3) with (database\$1 or data \$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L4	2434	record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L5	4	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L6	1	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25

L7	19	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data\$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L8	1	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data\$1sets) with rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L9	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data\$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L10	81	((hierarch\$4 or tree) with variable\$1) and (compar\$4 with (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L11	0	((hierarch\$4 or tree) with variable\$1) with (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L12	19	((hierarch\$4 or tree) with variable\$1) and (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L13	49	(variable\$1 with (compar\$4 near3 (data\$1bases or tables or data\$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L14	6	(variable\$1 near3 (compar\$4 near3 (data\$1bases or data\$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25

L15	13	((attribute\$1 or parameter\$1) near3 (compar\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L16	2	((attribute\$1 or parameter\$1) near3 (co\$1relation\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L19	3337	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L20	4285	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L21	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L22	0	L19 and L21	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L23	0	L20 and L21	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L24	0	L20 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L25	0	L19 and L21	US-PGPUB; USPAT	OR	OFF	2009/08/09 10:25
L26	238	(kuen.xp. or kuen.xa.) and (lu.xp. or lu.xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25

L27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L28	124	on\$1line with yellow with page\$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L29	119	on\$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L31	34	online with yellow with pages and (@pd < "20040324") and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L32	124	on\$1line with (yellow adj page\$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L33	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
L34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25

L35	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 10:25
S1	9	(record\$1 near3 fus \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:22
S2	9	(record\$1 near3 (merg3 or fus\$3)) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:23
S3	3475	(record\$1 near3 match\$3) with (database\$1 or data \$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:36
S4	2278	record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:37
S5	4	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:38
S6	1	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:41

S7	19	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data\$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:50
S8	1	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data\$1sets) with rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S9	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data\$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S10	81	((hierarch\$4 or tree) with variable\$1) and (compar\$4 with (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:05
S11	0	((hierarch\$4 or tree) with variable\$1) with (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S12	19	((hierarch\$4 or tree) with variable\$1) and (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S13	49	(variable\$1 with (compar\$4 near3 (data\$1bases or tables or data\$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:38
S14	6	(variable\$1 near3 (compar\$4 near3 (data\$1bases or data\$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:51

S15	13	((attribute\$1 or parameter\$1) near3 (compar\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:54
S16	2	((attribute\$1 or parameter\$1) near3 (co\$1relation\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 10:16
S17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 10:20
S18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 11:12
S19	3027	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:51
S20	3909	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S21	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:52
S22	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S23	0	S20 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S24	0	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:53
S25	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:53
S26	207	(kuen.xp. or kuen.xa.) and (lu.xp. or lu.xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:36

S27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:39
S28	124	on\$1line with yellow with page\$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S29	119	on\$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S31	34	online with yellow with pages and (@pd < "20040324") and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S32	124	on\$1line with (yellow adj page\$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S33	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:28
S34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:48



S35	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:09
-----	---	---	---	----	-----	---------------------

**EAST Search History (I nterference)**

< This search history is empty>

**8/ 9/ 2009 10:28:45 AM**

**C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10576800.wsp**